

BROEN

VALVE TECHNOLOGIES



2018 | All rights reserved



Ballofix® DN15R,G3/4,G3/4A

Ballofix straight wo handle Male x Female

Applications

Potable water

Heating

Cooling

Approvals

ETA

SINTEF

SITAC

WRAS

STF

GDV

KIWA

Product information


Assortment

Description	3/4 × 3/4
Internal diameter connection 1	3/4" (DN20)
Internal diameter connection 2	3/4" (DN20)
Art. no.	44150100-225002
Description	Ballofix® DN15R,G3/4,G3/4A
Connection 1	M - female thread metric
Connection 2	M - Male thread metric
Connection 3	
Retail no	44150100-225002

Characteristics

Manufacturer	BROEN
Material	Brass
Finishing	Chromed
Finish	Chrome
Shape	Straight
Intrastat no.	84818019
Weight	0.21 KGM
GTIN	05708537479072
Sealing	EPDM
Max temperature	120
Maximum Operating Pressure Liquid	10
Class feature class code	

Dimensions



Series	BALLOFIX VALVES
Type	BALLOFIX Ball valve
Art. no.	
L0	
Slv0	32
Slv1	
slv2	
L1	29.1
L2	23.1
L3	23.1
H1	
H2	
Z1	13.6
Z2	13.6

BROEN VALVE TECHNOLOGIES

For more than 70 years BROEN has been the global leader in the development and production of valve technology for the control of water, air, gas and oil. BROEN delivers complete solutions for HVAC building installations and is a leading supplier of district energy valves.

We know application and valve technology in depth and in close dialogue with our customers and partners all over the world we create value and reliability with proven valves offering full quality assurance.

BROEN Group – part of Aalberts Industries – is headquartered in Assens, Denmark.

BROEN Group locations

Headquarters in Assens, DK

Sales- and productions sites ●

BROEN A/S, Assens (DK)

BROEN SA, Dzierżonów (PL)

BROEN LLC, Kolomna (RU)

BROEN INC., Houston (US)

BROEN OIL & GAS, Suchy Las & Rogoźno (PL)

Clorius Controls, Dzierżonów (PL)

Sales companies and offices ○

BROEN, Assens

BROEN, Stockholm

BROEN, Helsinki

BROEN SEI, Romania

BROEN, Beijing

BROEN, Singapore

BROEN, Dusseldorf

BROEN, Moscow

Clorius Controls, Copenhagen

Clorius Controls, Shanghai

**BROEN A/S**