

BROEN

VALVE TECHNOLOGIES



2018 | All rights reserved



Ballofix® DN15R,G3/4SW,G3/4A

Ballofix straight wo handle Swivel x Male

Applications

Potable water
Heating
Cooling

Product information

- inclusief vlakke dichtring

Approvals

ETA
SINTEF
SITAC
WRAS
GDV


Assortment

Description	3/4 × 3/4
Internal diameter connection 1	DN20
Internal diameter connection 2	DN20
Art. no.	44147900-225002
Description	Ballofix® DN15R,G3/4SW,G3/4A
Connection 1	Coupling nut
Connection 2	M - Male thread metric
Connection 3	
Retail no	44147900-225002

Characteristics

Manufacturer	BROEN
Material	Brass
Finishing	Chromed
Finish	
Shape	
Intrastat no.	84818019
Weight	0.192 KGM
GTIN	05708537344240
Sealing	
Max temperature	
Maximum Operating Pressure Liquid	0
Class feature class code	

Dimensions



Series	BALLOFIX VALVES
Type	BALLOFIX Ball valve
Art. no.	
L0	
Slv0	28
Slv1	30
slv2	
L1	39.8
L2	22.4
L3	22.4
H1	
H2	
Z1	12.9
Z2	12.9

BROEN VALVE TECHNOLOGIES

For more than 70 years BROEN has been the global leader in the development and production of valve technology for the control of water, air, gas and oil. BROEN delivers complete solutions for HVAC building installations and is a leading supplier of district energy valves.

We know application and valve technology in depth and in close dialogue with our customers and partners all over the world we create value and reliability with proven valves offering full quality assurance.

BROEN Group – part of Aalberts Industries – is headquartered in Assens, Denmark.

BROEN Group locations

Headquarters in Assens, DK

Sales- and productions sites ●

BROEN A/S, Assens (DK)

BROEN SA, Dzierżoniów (PL)

BROEN LLC, Kolomna (RU)

BROEN INC., Houston (US)

BROEN OIL & GAS, Suchy Las & Rogoźno (PL)

Clorius Controls, Dzierżoniów (PL)

Sales companies and offices ○

BROEN, Assens

BROEN, Stockholm

BROEN, Helsinki

BROEN SEI, Romania

BROEN, Beijing

BROEN, Singapore

BROEN, Dusseldorf

BROEN, Moscow

Clorius Controls, Copenhagen

Clorius Controls, Shanghai

**BROEN A/S**