



CODEMARK™

Product description

COPPERFIX copper tubes are manufactured in accordance with EN1057:2010. COPPERFIX fittings are manufactured to EN 1254:1998. Available copper tube diameters are 15mm, 18mm, 22mm, 28mm, 35mm, 42mm, 54mm, 66.7mm, 76.1mm, 88.9mm and 108mm.

Product purpose or use

The COPPERFIX system by KE KELIT is suitable for use in potable hot and cold water applications, compressed air and applications like heating and cooling systems, typically found in commercial buildings. These pipes are suitable for potable water installations being tested to AS/NZS 4020:2005.

Certificate holder

Ke Kelit Kunststoffwerk Gesmbh,
Ignaz-Mayer-Strabe 17 A-4020 Linz.
Tel. +43 (0) 507791 (Austria)
+64 (0) 46584870 (New Zealand)
www.kekelit.com or www.kekelit.co.nz

CodeMark Product Certification Body

Bureau Veritas Australia Pty Ltd
3/435 Williamstown Road,
Port Melbourne VIC, 3207
Ph: 1800 855 190
www.bureauveritas.com.au

Sam Guindi
Product Certification Manager

For and on behalf of
Bureau Veritas Australia Pty Ltd

PRODUCT CERTIFICATE

This is to certify that

The KE KELIT COPPERFIX System



**BUREAU
VERITAS**

Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet or contribute to meeting the following provisions of the NZBC:

Durability B2.3.1 (a)

Hazardous Building Materials F2.3.1

Piped Services G10.3.1

Water Supplies G12.3.2; G12.3.7

Energy Efficiency H1.3.4 (b)

Subject to the following conditions and limitations:

1. All design including selection of accessories and componentry shall be to the requirements set out in the COPPERFIX Australasian Technical Specification Rev 5: April 2017 and the COPPERFIX System Handbook 05/2016 - available from the manufacturer's web site www.kekelit.com or www.kekelit.co.nz. All other uses are outside the scope of this certificate.
2. Installation shall be performed by Ke Kelit (NZ) Ltd. trained and approved installers.
3. Installation and maintenance of the COPPERFIX System, shall be in accordance with the COPPERFIX Australasian Technical Specification Rev 5: April 2017, COPPERFIX Training Manual and the COPPERFIX System Handbook 05/2016.



WWW.JAS-ANZ.ORG/REGISTER

29 October 2019
Date of issue

CM70041
Certificate Number



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HĪKINA WHAKATUTUKI

- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- The certificate holder must maintain compliance with the conditions set out in section 15 of the Building (Product Certification) Regulations 2008. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.