



FLEXICELL®

MATERIAL SAFETY DATA SHEET FOR FLEXICELL® REINFORCED ALUMINUM FOIL TAPE





MATERIAL SAFETY DATA SHEET FOR FLEXICELL[®] REINFORCED ALUMINUM FOIL TAPE

Contents

- 1. General Information
 - 1.1 Product
 - 1.2 Company
 - **1.3** Technical Contact Point
- 2. Hazards Identification
- 3. Product Composition
- 4. First Aid Measures
- 5. Fire Fighting Measures
- 6. Accidental Release Measures
- 7. Handling and Storage
- 8. Exposure Controls / Personal Protection
- 9. Physical and Chemical Properties
- **10.** Stability and Reactivity
- **11.** Toxicological Information
- **12.** Ecological Information
- **13.** Disposal Considerations
- 14. Transport Information
- **15.** Regulatory Information
- 16. Other Information

MATERIAL SAFETY DATA SHEET FOR FLEXICELL® REINFORCED ALUMINUM FOIL TAPE

1. General Information

1.1 Product

FlexiCell® Reinforced Aluminum Foil Tape

1.2 Company

Hira Industries LLC P.0.Box 9013 Al Ghail Industrial Area, Ras Al-Khaimah, UAE ♥ 07-2589006 | ♥ 07-2589008 ● www.flexicell.com.au

1.3 Technical contact point

Mr. Darren Read National Sales Manager Australia & New Zealand ↓ +61 419 701 375 ▼ r.darren@rhira.com

2. Hazards Identification

Hazard designation To man: none To environment: insoluble in water

3. Product Composition

Reinforced Aluminum Foil Tape consists of durable composite aluminum foil, scrim and PE facing combined with a long lasting pressure sensitive solvent base acrylic adhesive protected by silicone release paper.

4. First Aid Measures

In case of smoke inhalation

Fresh air, artificial respiration (in critical cases).

In case of skin contact Unnecessary

In case of eye contact Unnecessary

5. Fire Fighting Measures

Suitable extinguishing media

Water spray, foam spray, dry chemical powder, CO2.

Special exposure hazards arising from the preparation

Toxic fumes such as carbon dioxide, carbon monoxide, hydrogen chloride, sulphur dioxide and hydrogen cyanide may be emitted under flammable conditions. Do not inhale gas from flame and ensure that appropriate breathing apparatus is worn when coming into contact with burning material.

Special protective equipment for firefighters

Wear self-contained breathing apparatus.

Further information

Do not inhale combustion and/or explosion gases.

6. Accidental Release Measures

Not applicable.

7. Handling and Storage

Handling

Consider safe handling practices including weight restrictions for manual handling and safe storage to reduce trip hazards.

Further information on storage conditions

It is recommended to store the product away from direct sunlight, in a dry and well ventilated area at temperatures between 0 °C - 35 °C and humidity level between 50 - 70%. Keep away from acids and/or oxidizing agents.

8. Exposure Controls / Personal Protection

General health measures

No specific precautions required.

Respiratory protection

No specific precautions required.

Skin protection

Avoid direct skin contact with self adhesive layer. In case of any irritation, contact medical help immediately.

Eye protection

Avoid direct eye contact with self adhesive layer. In case of any irritation, contact medical help immediately.

Ingestion

If swallowed, seek medical assistance.

9. Physical and Chemical Properties

Appearance

Reinforced Aluminum Foil Tape with solvent base adhesive and silicone release paper.



MATERIAL SAFETY DATA SHEET FOR FLEXICELL® REINFORCED ALUMINUM FOIL TAPE

Colour

Silver with white release paper

Odour Odourless

Thermal decomposition 580 - 650°C

Water solubility

In water: insoluble, in organic solvents: insoluble, partly soluble, swelling (depending on solvent type).

10. Stability and Reactivity

Conditions to avoid

Keep away from flames. Keep away from acids including nitric acid, hydrochloric acid, sulfuric acid and hydrofluoric acid.

Hazardous reaction

No dangerous reactions known.

Hazardous decomposition products

May release hazardous gas if ignited. See section 5.

11. Toxicological Information

To the best of our knowledge, when used and handled in accordance with the specified guidelines, this product does not have any toxicological effects.

12. Ecological Information

This product does not contain any heavy metals or asbestos and is CFC and HCFC free.

Persistence and degradability

The product has not been tested.

Ozone depletion potential

zero ODP, material is free of CFC and HCFC.

13. Disposal Considerations

Product Disposal

Dispose of waste according to applicable local regulations.

Packaging Disposal

Cardboard packaging may be re-used or recycled. Soft plastics and foiled packaging should be disposed of according to local regulations.

14. Transport Information

According the the following transportation regulations, this material is not defined as hazardous.

Land transport ADR /RID/ GGVSE	
UN-No.:	Name of the good:
Class:	Classification code:
Packing group:	Danger labels:

Remark: No dangerous goods in accordance with the regulations.

Marine transport IMDG-CODE	
UN/ID-No.:	Proper shipping name:
Class:	Subsidiary risk:
Packing group:	EmS:
Remark: No dangerous goods in accordance with the regulations.	

Air transport IATA-DGR	
UN/ID-No.:	Proper shipping name:
Class:	Subsidiary risk:
Hazard labels:	Packing group:
Remark: No dangerous goods in accordance with the regulations.	


15. Regulatory Information

There are no regulatory implications for the material composition or packaging, including known safety and environmental regulations.

16. Other information

Distribution For industry consumer and trade companies *Publication date* 25 July 2021

FLEXICELL_MSDS_REINFORCED_ALUMINUM_FOIL_TAPE_26721





KE KELIT NZ Ltd. 0800 4 KE KELIT 0800 4 5353548 info@kekelit.co.nz www.kekelit.co.nz

