

Pegler ball valve (2 x Compression)



group: PB350 **category:** valves **product line:** Pegler Ball Valve

The PB350 DZR lever ball valve is a compact, easy to operate, quarter turn ball valve with 2 compression ends and a blue handle.

- PN16
- full bore
- blow-out and vandal proof assembly
- PTFE ball seals
- Lever handle

applications

potable water, heating, cooling,
steam, compressed air

segments

commercial building , industry

approvals

WRAS

assortment

item number	size	dimensions	weight	packaging	gtin
254201	15 (DN15)	25x80x130 mm	0.3 kg	box (10 pce)	05022050223043
254202	22 (DN20)	30x85x145 mm	0.51 kg	box (10 pce)	05022050223128
254203	28 (DN25)	40x85x155 mm	0.68 kg	box (5 pce)	05022050223203
254204	35 (DN32)	50x120x160 mm	1.09 kg	box (5 pce)	05022050223289
254205	42 (DN40)	55x130x230 mm	1.47 kg	box (2 pce)	05022050223364
254206	54 (DN50)	75x160x230 mm	2.62 kg	box (2 pce)	05022050223449

specifications - characteristics

color	brass
materials	brass (CW602N (DZR))
finishing	none
shape	straight (0°)
connection type	compression
pressure rating (PN)	PN 16
sealing	FPM, PTFE

specifications - general

product group	valves (ball valves)
ETIM class	ECO11343 Ball valve
HS code	84818081
brand	Pegler
series	Ball Valve
product type	PB350
UNSPS	40141607


specifications - technical

max operating pressure liquid	16 bar
min. medium temperature	-10 °C
max medium temperature	120 °C

dimensions

item number	size	DN1	l1	z1	slw1	DN2	l2	z2	slw2	M1	M2	E	H
254201	15 (DN15)	1/2" (DN15)	38	26	24	1/2" (DN15)	38	26	24	10	96	24	39
254202	22 (DN20)	3/4" (DN20)	43	27	32	3/4" (DN20)	43	27	32	10	96	24	50
254203	28 (DN25)	1" (DN25)	49	31	38	1" (DN25)	49	31	38	11	101	25	55
254204	35 (DN32)	1 1/4" (DN32)	60	41	46	1 1/4" (DN32)	60	41	46	11	103	25	62
254205	42 (DN40)	1 1/2" (DN40)	66	46	56	1 1/2" (DN40)	66	46	56	12	159	26	78
254206	54 (DN50)	2" (DN50)	80	56	72	2" (DN50)	80	56	72	13	158	26	84

item number	size	h2	Y	V	U	a
254201	15 (DN15)	14	16	23	14	90
254202	22 (DN20)	15	16	23	18	90
254203	28 (DN25)	17	20	35	18	90
254204	35 (DN32)	20	23	39	18	90
254205	42 (DN40)	24	27	51	24	90
254206	54 (DN50)	26	29	55	24	90



sustainability

item number	carbon footprint (A-C) embodied carbon	data source
254201	1.45kgCO2e	TM65

downloads

-  PB350DR - png
-  Diagram - jpg