

VSH XPress Y-Strainer



group: PS913 category: valves product line: VSH XPress Strainer

The VSH Xpress type PS913 is a Bronze Y-Strainer which is designed protect pipework and equipment from contamination caused by debris in the fluid by filtering it through a strainer for long trouble-free service. It is complete with VSH Xpress connections and is available in sizes 15-54mm.

- Operating Pressure PN16
- Operating Temperature -10°C to 110°C
- WRAS approval on all sizes
- stainless steel cartridge
- mesh width 0.92mm

applications



potable water



heating



cooling

segments



commercial building

approvals



NSF



WRAS WRAS

assortment

item number	size	dimensions	weight	packaging	gtin
15472	15 (DN15)	95x30x55 mm	0.3 kg	bag (1 pce)	05022050210951
15473	18 (DN15)	95x35x60 mm	0.3 kg	bag (1 pce)	05022050211026
15474	22 (DN20)	95x50x60 mm	0.41 kg	bag (1 pce)	05022050211071
15475	28 (DN25)	110x50x75 mm	0.59 kg	bag (1 pce)	05022050211125
15476	35 (DN32)	125x60x88 mm	0.96 kg	bag (1 pce)	05022050211170
15477	42 (DN40)	143x70x105 mm	1.19 kg	bag (1 pce)	05022050211200
15478	54 (DN50)	172x80x130 mm	2.17 kg	bag (1 pce)	05022050211231

specifications - characteristics

color	bronze
materials	bronze (EN CC499K)
finishing	none
shape	straight (45°)
connection type	press (M)
pressure rating (PN)	PN 16
sealing	PTFE

specifications - general

product group	valves (strainers)
ETIM class	EC010151 Pipeline strainer
brand	VSH
series	XPress Strainer
product type	PS913
UNSPS	40142505


specifications - technical

max operating pressure liquid	16 bar
min. medium temperature	-10 °C
max medium temperature	110 °C
peak medium temperature	110 °C
Kvs-value	value depends on the item view items

dimensions

item number	size	d1	DN1	l1	z1	slw1	d2	DN2	l2	z2	slw2	V	a
15472	15 (DN15)	15.0	DN15	63	45	29	15.0	DN15	46	28	29	54	45
15473	18 (DN15)	18.0	DN15	63	45	33	18.0	DN15	46	28	33	54	45
15474	22 (DN20)	22.0	DN20	67	48	38	22.0	DN20	48	29	38	61	45
15475	28 (DN25)	28.0	DN25	78	57	45	28.0	DN25	54	33	45	75	45
15476	35 (DN32)	54.0	DN32	105	81	54	54.0	DN32	66	43	54	86	45
15477	42 (DN40)	42.0	DN40	112	84	63	42.0	DN40	73	46	63	100	45
15478	54 (DN50)	54.0	DN50	128	95	78	54.0	DN50	84	52	78	96	45

item number	size	angle
15472	15 (DN15)	45
15473	18 (DN15)	45
15474	22 (DN20)	45
15475	28 (DN25)	45
15476	35 (DN32)	45
15477	42 (DN40)	45
15478	54 (DN50)	45



downloads

⬇ PS913 - jpg

⬇ Diagram - png